









2	Inductive sensor M12	0			-	76	41850223	Pcs		
4	Lifting point	0			-	75	42200054	Pcs		
1	Logo 450 x120 mm	0			-	74	42200053	Pcs		
1	Logo 210 x 110 mm	0			-	73	42200051	Pcs		
4	Warning sign: Cut and squeeze danger	0			-	72	52200055	Pcs		
1	Logo 1350x360	0			-	71	42200056	Pcs		
2	Logo 450 x 650 mm	0			-	70	42200052	Pcs		
1	Connectors for truck 7 poles male	0		41850403 - Skl 7 poleit han	69	-		Pcs		
1	Rubber skirt for inlet	1		48124796	68	-		Pcs		
1	Rubber skirt for inlet	1		48124795	67	-		Pcs		
1	Eye bolt fzb M6x70mm	0		-	66	41190060		Pcs		
1	Hook ø 6 x 155 mm	0		-	65	42040130		Pcs		
1	Controlbox Siemens	0		-	64	48614591		Pcs		
1	Junction box 85 x 85mm	0		-	63	41850042		Pcs		
1	Allan Bradley Sensa guide safety switch with code	0		-	62	48150265B		Pcs		
1	Discharge gate	0		48124789	61	-		Pcs		
1	Wrench NW 36	0		-	60	42040005		Pcs		
2	Wall socket 16A - Malmberg 24 286 17	0		-	59	41850040		Pcs		
1	In put wall socket 32A	0		-	58	41850041		Pcs		
1	Thread plate on gear	0		48614588	57	-		Pcs		
2	Suspension bracket	0		48324750	56	-		Pcs		
1	Protection plate under conveyor	1		48144190	55	-		Pcs		
1	Protection plate under conveyor	1		48144189	54	-		Pcs		
2	Security guard conveyor belt	1		48144184	53	-		Pcs		
2	Security guard Conveyorbelt	1		48144183	52	-		Pcs		
1	Platform for cleaning	0		48324748	51	-		Pcs		
2	High pressure cleaner 170-14	0		-	50	42101000		Pcs		
3	Hairpin straight Ø4 185	0		-	49	41440002		Pcs		
1	Plug PCE 220/380V 16A	0		-	48	41850134		Pcs		
1	2" plug	0		-	47	42130647		Pcs		
8	Shock absorber SDA 3015-M8x20	0		-	46	40850066		Pcs		
1	Lighttableau XVD LS33	0		-	45	41850307		Pcs		
3	Shock absorber HJ-2C-M12	0		-	44	40850030		Pcs		
3	Dan Transducer - Load cell 2000kg DT350i	0		-	43	42990608		Pcs		
3	Bracket for load cell	1		48614143	42	-		Pcs		
1	Cover for discharge gate	0		48125075	41	-		Pcs		
1	Warning triangle	0		-	40	42200030		Pcs		
1	Right Tail light	0		-	39	42200010		Pcs		
1	Left Tail light	0		-	38	42200012		Pcs		
1	Cotter bolt	0		48324021	37	-		Pcs		
1	Front support leg - extended	0		48614639	36	-		Pcs		
1	Rear cover	1		48614387	35	-		Pcs		
1	Rear bumper	0		48614099	34	-		Pcs		
2	Wheel cover	1		48614379	33	-		Pcs		
4	Plate for regging screw	1		48614260	32	-		Pcs		
1	Rigging screw stainless M14 - c/c=300	0		-	31	41360870		Pcs		
4	Rigging screw stainless M14 - c/c=300	0		-	30	41360870		Pcs		
3	Support screw for transport	0		48324203	29	-		Pcs		
1	Shield	1		48614386	28	-		Pcs		
1	Level switch AKO-53114	0		-	27	41850196		Pcs		
1	Conector M16x1,5	0		-	26	41850180		Pcs		
1	Water inlet	0		48614325	25	-		Pcs		
1	Lid welded	0		48244216	24	-		Pcs		
1	Watertank 250 ltr. - welded	0		48244212	23	-		Pcs		
1	Box for additives & H.pressure cleaner	0		48284041	22	-		Pcs		
1	Controlbox	0		48614380	21	-		Pcs		
2	Bracket for rubber plate	1		48184145	20	-		Pcs		
2	Seal for conveyor	1		48184144	19	-		Pcs		
2	Cover for conveyor - side, top - short	0		48324423	18	-		Pcs		
4	Cover for conveyor - side, top - long	0		48324207	17	-		Pcs		
4	Rubber Gasket	0		48184110	16	-		Pcs		
4	Flat bar for side gasket	1		48184109	15	-		Pcs		
2	Relief	0		48614012	14	-		Pcs		
1	Belt Conveyor	0		48144181	13	-		Pcs		
1	Belt Conveyor	0		48144181	12	-		Pcs		
4	Conveyor bracket	0		48504053	11	-		Pcs		
1	Aggregate hopper	0		48184174	10	-		Pcs		
1	Top cover for mixer	0		48614574	9	-		Pcs		
1	Top for sensors	1		48124185	8	-		Pcs		
1	Bracket for sensors by damper	1		48124184	7	-		Pcs		
3	Indicator	1		48124122	6	-		Pcs		
1	Threaded rod FZB M16	0		48124123	5	-		Pcs		
1	Mixer 1200	0		48614615	4	-		Pcs		
4	Wheel 14.0/65x16 PT1	0		-	3	41700010		Pcs		
1	Towing hook	0		48614074	2	-		Pcs		
1	Mobile mixer frame	0		48614251	1	-		Pcs		
Default Qt / v	Description	P	L (mm)	W (mm)	Item no. / Req.-Date	Pos	Raw no.	Total	Rev	

Ikke målsatte svejsninger fuldsvejses min α -mål 0,7 x godstykkele			DELIVERY DATE:		PO. NO.:
Weldings without measurement must be full welded α -min. = 0,7 x thickness.			ITEMS AS SHOWN:		CASE NO.:
DEBUR AND BREAK SHARP EDGES DIMENSIONS IN MILLIMETER			ITEMS MIRRORED:		RAL:
REPLACES: REPLACED BY:					fibo intercon α/s Herningvej 4, DK-6920 Videbæk www.fibointercon.dk
DIMENSIONS WITHOUT SPECIFIED TOLERANCES ACCORDING TO ISO 2768-MS & ISO 13000-AE BEST AND PREPARATION GRADES FOR UNCOATED STEEL. (DS)EN ISO 60561-1-2			GENSTAND: B1200		
DRAWN: JJO 14-05-2014			TITLE: Mobil Blander		B1200 Mixer
APPROVED:			DWG NO: 48614676		Mobile Batching Plant
WEIGHT: 3367.461 kg			SCALE: 1:20		
			A1		
					REVISION

THIS DRAWING IS THE COPYRIGHT OF FIBO INTERCON A/S AND MUST NOT BE SHOWN TO ANY THIRD PARTY OR REPRODUCED IN WHOLE OR PART WITHOUT THE COMPANY'S WRITTEN PERMISSION.



1	Vandsystem indløbskasse - sml. del.2	0			48325537	94	-	-	Stk
1	Vandsystem Bürkert 1 1/2" - sml. del.1	0			48325536	93	-	-	Stk
2	konsol til flowmåler box	0			48325334	92	-	-	Stk
1	HT renser Reno	0			-	91	42101000	-	Stk
1	El patron 7,5kW	0			-	90	41850401	-	Stk
1	Skab for flowmåler	0			48325024	89	-	-	Stk
1	El patron 4kW	0			-	88	41850400	-	Stk
1	Tryktransmitter Sick PFT til Beckhoff	0			-	87	41850243	-	Stk
1	Nippelmuffe 3/8" - 1/4"	0			-	86	42130485	-	Stk
1	Nippel muffe 1/2"-3/8"	0			-	85	42130488	-	Stk
1	Balofix 1/2" han/hun	0			-	84	42130952	-	Stk
1	Tee 1/2" Galv	0			-	83	42130250	-	Stk
1	1 1/2" prop	0			-	82	42130646	-	Stk
2	Sideskærm ved udløb	1			48184587	81	-	-	Stk
2	Sideskærm ved udløb	1			48184587	80	-	-	Stk
2	Vibrator WAM - MVE 100-3.	0			-	79	41860005	-	Stk
4	Støtteben for B1200 front	0			48614298	78	-	-	Stk
1	Fittingspakke 1 kemi	0			48325336	77	-	-	Stk
1	Svejestuds 2 mm ø200 JKF 1018700	0			-	76	42100076	-	Stk
1	Kemipumpe option	0			48324365	75	-	-	Stk
2	M12 induktiv føler	0			-	74	41850223	-	Stk
4	Klistermærke løftepunkt	0			-	73	42200054	-	Stk
1	Klistermærke 450x120mm	0			-	72	42200053	-	Stk
1	Klistermærke 210x110 mm	0			-	71	42200051	-	Stk
4	Advarselsskilt: klippe og klemningsfare	0			-	70	52200055	-	Stk
1	Klistermærke 1350x360	0			-	69	42200056	-	Stk

Opti ons/ QTY.	Beskrivelse	P	L (mm)	B (mm)	Varenr. / Rekv.-Dato	Pos	Råvarenr.	Ialt	Rev
----------------------	-------------	---	-----------	-----------	-------------------------	-----	-----------	------	-----

2	Klistermærke 450x650 mm	0			-	68	42200052	-	Stk
1	Stik 7 polet, han	0			41850403 - Stik 7 polet han	67	-	-	Stk
1	Gummisvøb for udløb	1			48124796	66	-	-	Stk
1	Gummisvøb for udløb	1			48124795	65	-	-	Stk
1	Øjebolt fzb M6x70mm	0			-	64	41190060	-	Stk
1	Stormkrog 6 x 155mm nr. 821648088	0			-	63	42040130	-	Stk
1	Styreskab Siemens	0			-	62	48614591	-	Stk
1	Marine dase 85 x85	0			-	61	41850042	-	Stk
1	Allan Bradley Sensaguide switch sæt m. kode	0			-	60	48150265B	-	Stk
1	Plade for lågekontakt	0			48124789	59	-	-	Stk
1	Ringgaffel NV 36	0			-	58	42040005	-	Stk
2	El stik 16A - Malmberg 24 286 17	0			-	57	41850040	-	Stk
1	Tilslutningsstik 32A	0			-	56	41850041	-	Stk
1	Gevindplade ved gear	0			48614588	55	-	-	Stk
2	Ophængsbeslag svejst	0			48324750	54	-	-	Stk
1	Afskærmning under bånd	1			48144190	53	-	-	Stk
1	Afskærmning under bånd	1			48144189	52	-	-	Stk
2	Afskærmning midt	1			48144184	51	-	-	Stk
2	SideAfskærmningydside	1			48144183	50	-	-	Stk
1	Platform fastmont.	0			48324748	49	-	-	Stk
3	Hårnål lige ø4 185	0			-	48	41440002	-	Stk
1	CE-stik PCE 220/380V 16A	0			-	47	41850134	-	Stk
1	2" prop galvaniseret	0			-	46	42130647	-	Stk
8	Vibrationsdæmper SDA 3015-M8x20	0			-	45	40850066	-	Stk
1	Lystableua XVD LS33	0			-	44	41850307	-	Stk
3	Maskinsko HJ-2C-M12	0			-	43	40850030	-	Stk
3	Dan Transducer - Vejecelle 2000kg DT350i	0			-	42	42990608	-	Stk
3	Beslag for vejecelle	1			48614143	41	-	-	Stk
1	Afskærmning af udløb	0			48125075	40	-	-	Stk
1	Advarsels trekant	0			-	39	42200030	-	Stk
1	Højre baglygte				-	38	42200010	-	Stk
1	Venstre baglygte	0			-	37	42200012	-	Stk
1	Splitbolt	0			48324021	36	-	-	Stk
1	Forreste støtteben - forlænget	0			48614639	35	-	-	Stk
1	Afdækning bag silokasse	1			48614387	34	-	-	Stk
1	Bagkofanger	0			48614099	33	-	-	Stk
2	Hjulskaerm	1			48614379	32	-	-	Stk
4	Plade for vantskrue	1			48614260	31	-	-	Stk
5	Rustfri Vantskrue c/c = 300	0			-	30	41360870	-	Stk
3	Transportspindel	0			48324203	29	-	-	Stk
1	Skærmlade	1			48614386	28	-	-	Stk
1	Niveau afbryder AKO-53114	0			-	27	41850196	-	Stk
1	Forskrning M16x1,5	0			-	26	41850180	-	Stk
1	Tilgang til vandtank	0			48614325	25	-	-	Stk
1	Låg svejst - 250 ltr.	0			48244216	24	-	-	Stk
1	Vandtank 250 ltr. - svejst	0			48244212	23	-	-	Stk
1	Kasse for Kemi og højtryksrenser	0			48284041	22	-	-	Stk
1	Styreskab samlet	0			48614380	21	-	-	Stk
2	Beslag for gummiplade	1			48184145	20	-	-	Stk
2	Bundplade over bånd	1			48184144	19	-	-	Stk
2	Afskærmning 1200 bånd side top, kort	0			48324423	18	-	-	Stk
4	Afskærmning 1200 bånd side top, lang	0			48324207	17	-	-	Stk
4	Kant gummi	0			48184110	16	-	-	Stk
4	Fladjern til kantgummi	1			48184109	15	-	-	Stk
2	Aflastning	0			48614012	14	-	-	Stk
1	Udtræksbånd	0			48144181	13	-	-	Stk
1	Udtræksbånd	0			48144181	12	-	-	Stk
4	Båndophæng gruskasse	0			48504053	11	-	-	Stk
1	Silokasse - samlet	0			48184174	10	-	-	Stk
1	Komplet låg for blander	0			48614574	9	-	-	Stk
1	Låg for følere	1			48124185	8	-	-	Stk
1	Beslag for følere ved spjæld	1			48124184	7	-	-	Stk
3	Positionsmelder	1			48124122	6	-	-	Stk
1	Gevindstang fzb. M16	0			48124123	5	-	-	Stk
1	Blander 1200	0			48614615	4	-	-	Stk
4	Hjul 14.0/65x16 PT1	0			-	3	41700010	-	Stk
1	Trækkrog	0			48614074	2	-	-	Stk
1	Ramme for mobil blander	0			48614251	1	-	-	Stk

Opti ons/ QTY.	Beskrivelse	P	L (mm)	B (mm)	Varenr. / Rekv.-Dato	Pos	Råvarenr.	Ialt	Rev
----------------------	-------------	---	-----------	-----------	-------------------------	-----	-----------	------	-----

Ikke målsatte svejsninger
fuldsvejses
min a-mål 0,7 x godstykkelse

Weldings without messurement
must be full welded
a-min. = 0,7 x thickness.

DEBUR AND BREAK SHARP EDGES
DIMENSIONS IN MILLIMETER

DIMENSIONS WITHOUT SPECIFIED TOLERANCES ACCORDING TO ISO2768-M & ISO1300-AE
RUST AND PREPARATION GRADES FOR UNCOATED STEEL: DSEN ISO8501-1-C

DELIVERY DATE:

ITEMS AS SHOWN:

ITEMS MIRRORED:

WELDING
(DSEN ISO 5817-0)

PO. NO.:

CASE NO.:

RAL:

fibro intercon a/s
Herringvej 4, DK-6920 Videbæk
www.fibointercon.com

GENSTAND: B1200
Mobil Blander
B1200
Mobile Batching Plant
48614676


TITLE:

SCALE: 1:20
A1

DWG NO:





REVISION:

THIS DRAWING IS THE COPYRIGHT OF FIBO INTERCON A/S AND MUST NOT BE SHOWN TO ANY THIRD PARTY OR REPRODUCED IN WHOLE OR PART WITHOUT THE COMPANY'S WRITTEN PERMISSION.






4	Lifting point	0			-	73	42200054	-	Pcs
1	Logo 450 x120 mm	0			-	72	42200053	-	Pcs
1	Logo 210 x 110 mm	0			-	71	42200051	-	Pcs
4	Warning sign: Cut and squise danger	0			-	70	52200055	-	Pcs
1	Logo 1350x360	0			-	69	42200056	-	Pcs
2	Logo 450 x 650 mm	0			-	68	42200052	-	Pcs
1	Connectors for truck 7 poles male	0		41850403 - Skit 7 polet han	67	-	-	-	Pcs
1	Rubber skirt for inlet	1		48124796	66	-	-	-	Pcs
1	Rubber skirt for inlet	1		48124795	65	-	-	-	Pcs
1	Eye bolt fzb M6x70mm	0		-	64	41190060	-	-	Pcs
1	Hook ø 6 x 155 mm	0		-	63	42004130	-	-	Pcs
1	Controlbox Siemens	0		-	62	48614591	-	-	Pcs
1	Junction box 85 x 85mm	0		-	61	41850042	-	-	Pcs
1	Allan Bradley Senza guide safety switch with ccd	0		-	60	481502658	-	-	Pcs
1	Discharge gate	0		48124789	59	-	-	-	Pcs
1	Wrench NW 36	0		-	58	42040005	-	-	Pcs
2	Wall socket 16A - Malmberg 24 286 17	0		-	57	41850040	-	-	Pcs
1	In put wall socket 32A	0		-	56	41850041	-	-	Pcs
1	Thread plate on gear	0		48614588	55	-	-	-	Pcs
2	Suspension bracket	0		48324750	54	-	-	-	Pcs
1	Protection plate under conveyor	1		48144190	53	-	-	-	Pcs
1	Protection plate under conveyor	1		48144189	52	-	-	-	Pcs
2	Security guard conveyor belt	1		48144184	51	-	-	-	Pcs
2	Security guard Conveyorbelt	1		48144183	50	-	-	-	Pcs
1	Platform for cleaning	0		48324748	49	-	-	-	Pcs
3	Hairpin straight Ø4 185	0		-	48	41440002	-	-	Pcs
1	Plug PCE 220/380V 16A	0		-	47	41850134	-	-	Pcs
1	2" plug	0		-	46	42130647	-	-	Pcs
8	Shock absorber SDA 3015-M8x20	0		-	45	40850066	-	-	Pcs
1	Lighttableau XVD LS33	0		-	44	41850307	-	-	Pcs
3	Shock absorber HJ-2C-M12	0		-	43	40850030	-	-	Pcs
3	Dan Transducer - Load cell 2000kg DT3501	0		-	42	42990608	-	-	Pcs
3	Bracket for load cell	1		48614143	41	-	-	-	Pcs
1	Cover for discharge gate	0		48125075	40	-	-	-	Pcs
1	Warning triangle	0		-	39	42200030	-	-	Pcs
1	Right Tail light			-	38	42200010	-	-	Pcs
1	Left Tail light			-	37	42200012	-	-	Pcs
1	Cotter bolt	0		48324021	36	-	-	-	Pcs
1	Front support leg - extended	0		48614639	35	-	-	-	Pcs
1	Rear cover	1		48614387	34	-	-	-	Pcs
1	Rear bumper	0		48614099	33	-	-	-	Pcs
2	Wheel cover	1		48614379	32	-	-	-	Pcs
4	Plate for regging screw	1		48614260	31	-	-	-	Pcs
5	Rigging screw stainless M14 - c/c=300	0		-	30	41360870	-	-	Pcs
3	Support screw for transport	0		48324203	29	-	-	-	Pcs
1	Shield	1		48614386	28	-	-	-	Pcs
1	Level switch AKO-53114	0		-	27	41850196	-	-	Pcs
1	Conector M16x1,5	0		-	26	41850180	-	-	Pcs
1	Water inlet	0		48614325	25	-	-	-	Pcs
1	Lid welded	0		48244216	24	-	-	-	Pcs
1	Watertank 250 ltr. - welded	0		48244212	23	-	-	-	Pcs
1	Box for additives & H.pressure cleaner	0		48284041	22	-	-	-	Pcs
	Controlbox	0		48614380	21	-	-	-	Pcs
2	Bracket for rubber plate	1		48184145	20	-	-	-	Pcs
2	Seal for conveyor	1		48184144	19	-	-	-	Pcs
2	Cover for conveyor - side, top - short	0		48324423	18	-	-	-	Pcs
4	Cover for conveyor - side, top - long	0		48324207	17	-	-	-	Pcs
4	Rubber Gasket	0		48184110	16	-	-	-	Pcs
4	Flat bar for side gasket	1		48184109	15	-	-	-	Pcs
	Relief	0		48614012	14	-	-	-	Pcs
1	Belt Conveyor	0		48144181	13	-	-	-	Pcs
1	Belt Conveyor	0		48144181	12	-	-	-	Pcs
4	Conveyor bracket	0		48504053	11	-	-	-	Pcs
1	Aggregate hopper	0		48184174	10	-	-	-	Pcs
1	Top cover for mixer	0		48614574	9	-	-	-	Pcs
1	Top for sensors	1		48124185	8	-	-	-	Pcs
1	Bracket for sensors by damper	1		48124184	7	-	-	-	Pcs
3	Indicator	1		48124122	6	-	-	-	Pcs
1	Threaded rod FZB M16	0		48124123	5	-	-	-	Pcs
1	Mixer 1200	0		48614615	4	-	-	-	Pcs
4	Wheel 14.0/65x16 PT1	0		-	3	41700010	-	-	Pcs
1	Towing hook	0		48614074	2	-	-	-	Pcs
1	Mobile mixer frame	0		48614251	1	-	-	-	Pcs
Options/ QTY.	Description	P	L (mm)	W (mm)	Item no./ Req.-Date	Pos	Raw no.	Total	Rev

Ikke målsatte svejsninger fuldsvejses min a-mål 0,7 x godstykkeelse		DELIVERY DATE: _____ ITEMS AS SHOWN: _____ ITEMS MIRRORED: _____		PO. NO.: _____ CASE NO.: _____ RAL: _____	
Weldings without measurement must be full welded a-min. = 0,7 x thickness.		WELDING T min _____ (EN ISO 2517-0)			
DEBUR AND BREAK SHARP EDGES DIMENSIONS IN MILLIMETER		GENSTAND: B1200 Mobil Blander B1200 Mobile Batching Plant			
DIMENSIONS WITHOUT SPECIFIED TOLERANCES ACCORDING TO ISO 2768-MS & ISO 13920-4 RUST AND PREPARATION GRADES FOR UNCOATED STEEL: SS/EN ISO 8501-1:C		TITLE: _____ DWG NO: _____		fibo intercon a/s Herningvej 4, DK-6290 Videbæk www.fibointercon.com	
DRAWN JUC APPROV _____		SIGNATURE _____ DATE 14-05-2014 MATERIAL: __		SCALE 1:20 A1	REVISION _____
WEIGHT: 3367,481 KG		48614676			



Ikke målsatte svejsninger fuldsvejses min a-mål 0,7 x godstykkelse Weldings without measurement must be full welded a-min. = 0,7 x thickness.				DELIVERY DATE:		PO. NO.:	
				ITEMS AS SHOWN:		CASE NO.:	
DEBUR AND BREAK SHARP EDGES DIMENSIONS IN MILLIMETER REPLACES: REPLACES 91: DIMENSIONS WITHOUT SPECIFIED TOLERANCES ACCORDING TO ISO2768-MS & ISO13000-AE RUST AND PREPARATION GRADES FOR UNCOATED STEEL: DS/EN ISO6501-1-C				ITEMS MIRRORED:		RAL:	
						fibo intercon a/s Hørningvej 4, DK-6920 Videbæk www.fibointercon.com	
DRAWN: JJØ		DATE: 14-05-2014		SCALE: 1:20 A1		GENSTAND: B1200 Mobil Blander B1200 Mobile Batching Plant	
APPROVED:		MATERIAL: --		WEIGHT: 3367 461 Kg		DWG NO: 48614676	

THIS DRAWING IS THE COPYRIGHT OF FIBO INTERCON A/S AND MUST NOT BE SHOWN TO ANY THIRD PARTY OR REPRODUCED IN WHOLE OR PART WITHOUT THE COMPANY'S WRITTEN PERMISSION.



Ikke målsatte svejsninger fuldsvejses min a-mål 0,7 x godstykkelse Weldings without messurement must be full welded a-min. = 0,7 x thickness. DEBUR AND BREAK SHARP EDGES DIMENSIONS IN MILLIMETER REPLACES: REPLACED BY: DIMENSIONS WITHOUT SPECIFIED TOLERANCES ACCORDING TO ISO2768-MS & ISO1302-AE RUST AND PREPARATION GRADES FOR UNCOATED STEEL: DS/EN ISO6501-1-C	DELIVERY DATE:	PO. NO.:
	ITEMS AS SHOWN:	CASE NO.:
	ITEMS MIRRORED:	RAL:
	fibo intercon a/s Herningvej 4, DK-6920 Videbæk www.fibointercon.com	
WELDING (DS/EN ISO 5817-0) T min Q=0,7 x T min Q2=0,7 x T min	GENSTAND: B1200 Mobil Blander B1200 Mixer Mobile Batching Plant	TITLE:
DRAWN: JJO SIGNATURE: DATE: 14-05-2014 MATERIAL: -- SCALE: 1:20 AI	DWG NO: 48614676	REVISION:

THIS DRAWING IS THE COPYRIGHT OF FIBO INTERCON A/S AND MUST NOT BE SHOWN TO ANY THIRD PARTY OR REPRODUCED IN WHOLE OR PART WITHOUT THE COMPANY'S WRITTEN PERMISSION.